

## Contents

## Letters to the Editor

Laboratory measurement of the  $N = 1 \leftarrow 0$  rotational transition of NH at 1 THz

*Klaus Th., Takano S., Winnewisser G.*

L1

Equation of state and helioseismic inversions

*Basu S., Christensen-Dalsgaard J.*

L5

Evolution of white dwarf binaries: supersoft X-ray sources and progenitors of type Ia supernovae

*Li X.-D., van den Heuvel E.P.J.*

L9

On the history of star formation in the bar of the Large Magellanic Cloud

*Ardeberg A., Gustafsson B., Linde P., Nissen P.-E.*

L13

Pulsar detection at 87 GHz

*Morris D., Kramer M., Thum C., Wielebinski R., Grewing M., Peñalver J., Jessner A., Butin G., Brunswig W.*

L17

The extended 1.3 mm continuum emission around CW Leo

*Groenewegen M.A.T., van der Veen W.E.C.J., Lefloch B., Omont A.*

L21

High resolution observations of molecular outflows in the HH 1-2 region

*Correia J.C., Griffin M., Saraceno P.*

L25

What can we learn from the r-element distribution of CS 22892-052?

*Goriely S., Arnould M.*

L29

Detection of [OI] 63  $\mu$ m in absorption toward Sgr B2

*Baluteau J.-P., Cox P., Cernicharo J., Péquignot D., Caux E., Lim T., Swinyard B., White G., Kessler M., Prusti T., Barlow M., Clegg P.E., Emery R.J., Furniss I., Glencross W., Gry C., Joubert M., Liseau R., Nisini B., Saraceno P., Serra G., Armand C., Burgdorf M., DiGiorgio A., Molinari S., Price M., Texier D., Sidher S., Trams N.*

L33

ROSAT detection of Class I protostars in the CrA Coronet

*Neuhäuser R., Preibisch Th.*

L37

Observations of solar low- $\beta$ -modes by the CORONAS-DIFOS experiment

*Hasler K.-H., Zhugzhda Y.D., Lebedev N.I., Arlt R., Oraevsky V.N.*

L41

## Cosmology

Weak lensing statistics as a probe of  $\Omega$  and power spectrum

*Bernardeau F., Van Waerbeke L., Mellier Y.*

1

Constraints on  $h$ ,  $\Omega_0$  and  $\lambda_0$  from cosmic microwave background observations

*Lineweaver C.H., Barbosa D., Blanchard A., Bartlett J.G.*

365

Zero-metallicity very low mass stars as halo dark matter

*Kerins E.J.*

709

## Extragalactic astronomy

A radio continuum survey of Shapley-Ames galaxies at  $\lambda$  2.8 cm.

II. Separation of thermal and non-thermal radio emission

*Niklas S., Klein U., Wielebinski R.*

19

A radio continuum survey of Shapley-Ames galaxies at  $\lambda$  2.8 cm.

III. The radio-far infrared correlation

*Niklas S.*

29

A distant elliptical galaxy seen through a foreground spiral

*Römmback J., Shaver P.A.*

38

A sulphur abundance study of NGC 300 by an empirical calibration method

*Christensen T., Petersen L., Gammelgaard P.*

41

An X-ray illuminated circumnuclear disk at the center of NGC 4258

*Cao X., Jiang D.R.*

49

The rich cluster of galaxies ABCG 85. I. X-ray analysis

*Pislar V., Durret F., Gerbal D., Lima Neto G.B., Slezak E.*

53

ROSAT/HRI study of the optically rich, lensing cluster Cl 0500-24

*Schindler S., Wambsganss J.*

66

Modeling extragalactic bowshocks. I. The model

*Ferruit P., Binette L., Sutherland R.S., Pécontal E.*

73

(RN) The orientation of warps in the Local Group

*Zurita A., Battaner E.*

86

X-ray emission components from Stephan's Quintet resolved with the ROSAT HRI

*Pietsch W., Trinchieri G., Arp H., Sulentic J.W.*

89

H1-search for nearby dwarf galaxies

*Huchtmeier W.K., Karachentsev I.D., Karachentseva V.E.*

375

Molecular gas in the warped galaxy NGC 4013

*Gómez de Castro A., García-Burillo S.*

381

On the ionization of the diffuse ionized gas: spectroscopy of NGC 2188

*Domgörgen H., Dettmar R.-J.*

391

NGC 4151 - A unified active galactic nucleus

*Cassidy I., Raine D.J.*

400

Molecular excitation in Centaurus A: the  $^{13}\text{CO}$  J = 1-0 map and CO line ratios

*Wild W., Eckart A., Wiklind T.*

419

CO emission from 3C 48

*Wink J.E., Guilloteau S., Wilson T.L.*

427

The rate of supernovae from the combined sample of five searches

*Cappellaro E., Turatto M., Tsvetkov D.Yu., Bartunov O.S., Pollas C., Evans R., Hamuy M.*

431

- A ROSAT observation of the warm-absorbed soft X-ray spectrum of NGC 4051  
*Komossa S., Fink H.* 719
- Kinematics of the Local Universe. V. The value of  $H_0$  from the Tully-Fisher  $B$  and  $\log D_{25}$  relations for field galaxies  
*Theureau G., Hanski M., Ekholm T., Bottinelli L., Gouguenheim L., Patrel G., Teerikorpi P.* 730
- The Seyfert galaxy NGC 6814 – a highly variable X-ray source  
*König M., Friedrich S., Staubert R., Timmer J.* 747
- Procedure to find  $\langle B \rangle$ ,  $\langle R \rangle$  and  $\langle I \rangle$  for Cepheids from isolated observations using the complete light curve in  $V$   
*Labhardt L., Sandage A., Tammann G.A.* 751
- Galactic structure and dynamics**
- Antisymmetric rotation measures in our Galaxy: evidence for an A0 dynamo  
*Han J.L., Manchester R.N., Berkhuijsen E.M., Beck R.* 98
- Geometric differences between the gaseous and stellar warps in the Milky Way  
*Porcel C., Battaner E., Jiménez-Vicente J.* 103
- Non-linear coupling of spiral waves in disk galaxies: a numerical study  
*Masset F., Tagger M.* 442
- Stellar clusters and associations**
- Lithium observations in 47 Tucanae  
*Pasquini L., Molaro P.* 109
- Brown Dwarfs in the Pleiades. A deep  $IJK$  survey  
*Festini L.* 455
- Critical tests of stellar evolution in open clusters. II. Membership, duplicity, and stellar and dynamical evolution in NGC 3680  
*Nordström B., Andersen J., Andersen M.I.* 460
- The effect of dynamical friction on a young stellar cluster prior to the gas removal  
*Saiyadpour A., Deiss B.M., Kegel W.H.* 756
- The initial mass function and the dynamical evolution of open clusters. IV. Realistic systems  
*de la Fuente Marcos R.* 764
- Formation, structure and evolution of stars**
- The number of B-type binary mass gainers in general, binary Be stars in particular, predicted by close binary evolution  
*Van Bever J., Vanbeveren D.* 116
- On the velocity distribution of radio pulsars at birth  
*Hartman J.W.* 127
- The relationship between lithium and activity in disk population main sequence G and K stars  
*Favata F., Micela G., Sciortino S.* 131
- Observations of the recent disc loss in X Persei: photometry and polarimetry  
*Roche P., Larionov V., Tarasov A.E., Fabregat J., Clark J.S., Coe M.J., Kalv P., Larionova L., Negueruela I., Norton A.J., Reig P.* 139
- Age and mass of main sequence A-Type stars  
*Asiain R., Torra J., Figueras F.* 147
- New ZZ Ceti variables from the Kiso survey  
*Vauclair G., Dolez N., Fu Jian Ning, Chevreton M.* 155
- H<sub>2</sub>O maser emission from irregular variables  
*Szymczak M., Engels D.* 159
- X-ray properties of bright OB-type stars detected in the ROSAT all-sky survey  
*Berghöfer T.W., Schmitt J.H.M.M., Danner R., Cassinelli J.P.* 167
- High energy gamma rays from the Vela supernova remnant  
*Apparao K.M.V.* 175
- The frequency 104  $\mu\text{Hz}$  in the orbital motion of close binary stars  
*Kotov V.A., Kotov S.V.* 177
- The Be/X-ray binary LS I +61° 235/RX J0146.9+6121: physical parameters and V/R variability  
*Reig P., Fabregat J., Coe M.J., Roche P., Chakrabarty D., Negueruela I., Steele I.* 183
- A new correlation for Be/X-ray binaries: the orbital period-Ha equivalent width diagram  
*Reig P., Fabregat J., Coe M.J.* 193
- Constraints on the magnetic configuration of Ap stars from simple features of observed quantities  
*Landolfi M., Bagnulo S., Landi Degl'Innocent M., Landi Degl'Innocenti E., Leroy J.L.* 197
- New binary stars discovered by lunar occultations. III  
*Richichi A., Calamai G., Leinert C., Stecklum B.* 202
- Rotational mixing in early-type stars: the main-sequence evolution of a 9  $M_{\odot}$  star  
*Talon S., Zahn J.-P., Maeder A., Meynet G.* 209
- Computation of the distance moduli of RR Lyrae stars from their light and colour curves  
*Kovács G., Jurcsik J.* 218
- ASCA X-ray observations of the Galactic bulge source SLX 1735–269  
*David P., Goldwurm A., Murakami T., Paul J., Laurent P., Goldoni P.* 229
- A study of the evolution of radio pulsars through improved population synthesis  
*Hartman J.W., Bhattacharya D., Wijers R., Verbunt F.* 477
- Modelling the variance of dispersion measures of radio pulsars  
*Nelemans G., Hartman J.W., Verbunt F., Bhattacharya D., Wijers R.A.M.J.* 489
- A period analysis of the optical line variability of  $\beta$  Cephei: evidence for multi-mode pulsation and rotational modulation  
*Teltig J.H., Aerts C., Mathias P.* 493
- The August 1993 outburst of the black hole candidate GRO J0422+32  
*Castro-Tirado A.J., Ortiz J.L., Gallego J.* 507
- Doppler imaging of stellar surface structure. IV. The rapidly-rotating G5III–IV star HD 112313 = IN Comae  
*Strassmeier K.G., Hubl B., Rice J.B.* 511
- Cascade initiated by VHE  $\gamma$ -rays in the radiation field of a close massive companion  
*Bednarek W.* 523
- On the progenitors of double neutron star systems  
*Bagot P.* 533
- Dynamical model of convection in stellar cores  
*Lo Y.-C., Schatzman E.* 545
- The puzzling Luminous Blue Variable-like object HD 5980 in the Small Magellanic Cloud  
*Heydari-Malayeri M., Rauw G., Esslinger O., Beuzit J.-L.* 554
- Search for forced oscillations in binaries. II.  $\beta$  Scorpii A. New physical parameters and a search for line profile variability  
*Holmgren D., Hadrava P., Harmanec P., Koubský P., Kubát J.* 565
- The UV/X-ray emission of the symbiotic star AG Draconis during quiescence and the 1994/1995 outbursts  
*Greiner J., Bickert K., Luthardt R., Viotti R., Altamore A., González-Riestra R., Stencel R.E.* 576
- Recent gamma-ray burst observations from the SROSS-C2 satellite  
*Kasturirangan K., Padmini V.N., Prasad N.L., Rao U.R., Seetha S.* 778

- ROSAT all-sky survey observations of Pop II field binaries: X-ray activity of old, metal-poor stellar coronae  
*Ottmann R., Fleming T.A., Pasquini L.* 785
- Heavy element diffusion and globular cluster ages  
*Castellani V., Ciacio F., Degl'Innocenti S., Fiorentini G.* 801
- The orbital period distribution of novae  
*Diaz M.P., Bruch A.* 807
- Properties of theoretical RRab light curves  
*Feuchtinger M.U., Dorfi E.A.* 817
- The distance to the T Tauri stars in Taurus determined from their rotational properties  
*Preibisch Th., Smith M.D.* 825
- Wavelet analysis of stellar differential rotation. I. The Sun  
*Hempelmann A., Donahue R.A.* 835
- The nature and applications of an irradiation ionization front in cataclysmic variables  
*Yuan J., Li Z.* 841
- Origin of pulsar radio emission. I. High frequency data  
*Kramer M., Xilouris K.M., Jessner A., Lorimer D.R., Wielebinski R., Lyne A.G.* 846
- Energy dependence in the quasi-periodic oscillations and noise of black hole candidates in the very high state  
*Belloni T., van der Klis M., Lewin W.H.G., van Paradijs J., Dotani T., Mitsuda K., Miyamoto S.* 857
- Stellar atmospheres**
- Abundance analysis of roAp stars. III.  $\gamma$  Equulei  
*Ryabchikova T.A., Adelman S.J., Weiss W.W., Kuschnig R.* 234
- Magnetic pumping in the cataclysmic variable AE Aquarii  
*Kuijpers J., Fletcher L., Abada-Simon M., Horne K.D., Raadu M.A., Ramsay G., Steeghs D.*
- LTE or NLTE for the analysis of hot white dwarf and subdwarf B stars?  
*Napiwotzki R.*
- The Na I  $\lambda\lambda$ 5890, 5896 resonance doublet as chromospheric diagnostics in M dwarfs  
*Andretta V., Doyle J.G., Byrne P.B.* 266
- Semiregular variables of types SRa and SRb. Silicate dust emission features  
*Hron J., Aringer B., Kerschbaum F.* 280
- Mode switching of the water maser in OH 39.7+1.5  
*Engels D., Winnberg A., Walmsley C.M., Brand J.* 291
- Hot high-gravity NLTE model atmospheres as soft X-ray sources  
*Hartmann H.W., Heise J.* 591
- Combined stellar structure and atmosphere models for massive stars. III. Spectral evolution and revised ionising fluxes of O3-B0 stars  
*Schaerer D., de Koter A.* 598
- Dust envelope modelling of the Red Rectangle nebula  
*Lopez B., Tessier E., Cruzalèbes P., Lefèvre J., Le Bertre T.* 868
- A possible origin for X-rays from O stars  
*Feldmeier A., Puls J., Pauldrach A.W.A.* 878
- An operator perturbation method for polarized line transfer. I. Non-magnetic regime in 1D media  
*Faurobert-Scholl M., Frisch H., Nagendra K.N.* 896
- Modeling Li I and K I sensitivity to Pleiades activity  
*Suik R., Bruls J.H.M.J., Rutten R.J.* 911
- Mid-infrared imaging of AGB star envelopes. II. Modelling of observed sources  
*Marengo M., Canil G., Silvestro G., Origlia L., Busso M., Persi P.* 924
- A comparison of synthetic and observed spectra for G-K dwarfs using artificial neural networks  
*Gulati R.K., Ranjan Gupta, Rao N.K.* 933
- Erratum:* Abundance analysis of roAp stars. II. HD 203932  
*Gelbmann M., Kupka F., Weiss W.W., Mathys G.* 1026
- Diffuse matter in space (including H II regions and planetary nebulae)**
- Grain-grain collisions and sputtering in oblique C-type shocks  
*Caselli P., Hartquist T.W., Havnes O.* 296
- Combined stellar structure and atmosphere models for massive stars. IV. The impact on the ionization structure of single star H II regions  
*Stasińska G., Schaerer D.* 615
- Excitation of interstellar molecules by near infrared PAH photons  
*Giard M., Puget J.L., Crété E., Scoupe F.* 624
- Constraints on the properties of the 2175 Å interstellar feature carrier  
*Rouleau F., Henning Th., Stognienko R.* 633
- Explanation of  $^{28}\text{SiO}$ ,  $^{30}\text{SiO}$  and high- $\nu$   $^{28}\text{SiO}$  maser emission  
*González-Alfonso E., Cernicharo J.* 938
- Non-LTE radiative transfer in clumpy molecular clouds  
*Juvela M.* 943
- Molecular emission from the diffuse gas around  $\zeta$  Ophiuchi  
*Liszt H.S.* 962
- The chemical structure of bipolar planetary nebulae. I. IC 4406  
*Corradi R.L.M., Perinotto M., Schwarz H.E., Claeskens J.-F.* 975
- The Sun**
- Resonant absorption and the spectrum of 5-min oscillations of the Sun  
*Zhukov V.I.* 302
- On the selection of ultra-compact H II regions from the IRAS Point Source Catalogue: What the 6.7-GHz methanol maser surveys tell us  
*van der Walt D.J.* 307
- Large-scale dynamical phenomena during solar activity cycles  
*Feminella F., Storini M.* 311
- Angular momentum transport by internal waves in the solar interior  
*Zahn J.-P., Talon S., Matias J.* 320
- Temporal evolution of resonant absorption in coronal loops. Excitation by footpoint motions normal to the magnetic surfaces  
*Tirry W.J., Berghmans D., Goossens M.* 329
- Nonradial thermal instabilities in the solar core, revisited  
*Paternò L., Rapisarda L., Di Mauro M.P.* 340
- A solar model with improved subatmospheric stratification  
*Schlattl H., Weiss A., Ludwig H.-G.* 646
- Magnetic and velocity field in association with Ellerman bombs  
*Dara H.C., Alissandrakis C.E., Zachariadis Th.G., Georgakilas A.A.* 653
- Acoustic waves in isothermal winds in the vicinity of the sonic point  
*Grappin R., Cavillier E., Velli M.* 659
- (RN)** Local mixing near the solar core, neutrino fluxes and helioseismology  
*Richard O., Vauclair S.* 671
- Lyman continuum as a diagnostic for nonthermal processes in solar flares  
*Ding M.D., Schleicher H.* 674

- Comments on the "analytic theory of p modes" by Dzhilov and Staude  
Zhugzhda Y., Stix M. 982
- Center-to-limb variation of the second solar spectrum  
Stenflo J.O., Bianda M., Keller C.U., Solanki S.K. 985
- Continuous magnetohydrodynamic spectra of two-dimensional coronal magnetostatic flux tubes  
Beliën A.J.C., Poedts S., Goedbloed J.P. 995
- The solar cycle: parity interactions and amplitude modulation  
Tobias S.M. 1007
- Erratum: Electron acceleration sites in a large-scale coronal structure  
Klein K.-L., Aurass H., Soru-Escaut I., Kálmán B. 1027
- The solar system**
- The opposition effect of 51 Nemausa  
Kahl Kristensen L., Gammelgaard P. 679
- Radar observations of the Leonids: 1964–1995  
Brown P., Šimek M., Jones J. 687
- Scale relativity and quantization of the solar system  
Nottale L., Schumacher G., Gay J. 1018
- Celestial mechanics and astrometry**
- The solar eclipse observed by Clavius in A.D. 1567  
Stephenson F.R., Jones J.E., Morrison L.V. 347
- Theoretical study of the partial derivatives produced by numerical integration of satellite orbits  
Hadjifotinou K.G., Ichtiaroglou S. 352
- Physical and chemical processes**
- Photoionisation cross-sections for Fe XXIII and Fe XXIV  
Black G.M., Bell K.L., Keenan F.P. 359
- Electron acceleration at steepened magnetic field structures in the vicinity of quasi-parallel shock waves  
Claßen H.-T., Mann G. 696
- Abstracts of articles which have been published in A&A Supplement Series 122, No. 3**
- K and evolutionary corrections from UV to IR  
Poggianti B.M. 704
- A photometric catalogue of the Coma cluster core  
Lobo C., Biviano A., Durret F., Gerbal D., Le Fèvre O., Mazure A., Slezak E. 704
- Long-term *UBV(RI)*<sub>c</sub> monitoring of 12 southern hemisphere Long Period Variables  
de Laverny P., Geoffray H., Jorda L., Kopp M. 704
- The Bonn contribution to the extragalactic link of the Hipparcos proper motion system  
Tucholke H.-J., Brosche P., Odenkirchen M. 704
- Optical astrometry of Benchmark radio sources. IV. New results in the southern hemisphere  
Costa E., Loyola P. 705
- New proper-motion stars with declination between  $-5^\circ$  and  $-30^\circ$  and right ascension between 9 h and 13 h 30 m  
Wroblewski H., Torres C. 705
- Carbon stars in the halo of the Magellanic Clouds: Identification and radial velocity data  
Kunkel W.E., Irwin M.J., Demers S. 705
- The optical gravitational lensing experiment. Variable stars in globular clusters. II. Fields 5139D–F in  $\omega$  Centauri  
Kaluzny J., Kubiak M., Szymański M., Udalski A., Krzemiński W., Mateo M., Stanek K. 705
- NTT V, I, z photometry of the metal-rich bulge globular cluster Terzan 6  
Barbuy B., Ortolani S., Bica E. 706
- New infrared carbon stars in the IRAS point source catalog  
Guglielmo F., Epchtein N., Arditi F., Sèvre F. 706
- CCD spectrophotometry of CVs. IV. 3430–7850 Å atlas for 27 faint systems  
Munari U., Zwitter T., Bragaglia A. 706
- Kinematics of carbon stars in the outer regions of the Small Magellanic Cloud  
Hatzidimitriou D., Croke B.F., Morgan D.H., Cannon R.D. 706
- HL Aurigae: A near-contact binary system  
Zhang R.X., Fang M.J., Zhai D.S. 706
- Kinematical data on early-type galaxies. I.  
Simien F., Prugniel P. 707
- Radio stars for linking celestial reference frames  
Walter H.G., Hering R., de Vegt C. 707
- Stark broadening of spectral lines of multicharged ions of astrophysical interest. XV. P IV spectral lines  
Dimitrijević M.S., Sahal-Bréchet S. 707
- The temporal power spectrum of atmospheric fluctuations due to water vapor  
Lay O.P. 707
- Phase calibration and water vapor radiometry for millimeter-wave arrays  
Lay O.P. 707
- Secondary standard stars for *uvby* CCD photometry  
Clausen J.V., Larsen S.S., Garcia J.M., Giménez A., Storm J. 708
- Mass determination of astrometric binaries with Hipparcos. I. Theory and simulation  
Martin C., Mignard F., Fräschlé M. 708
- Relative line photometry of eclipsing binaries  
Hadrava P. 708
- An adaptive grid code for high resolution 1-D hydrodynamics of the solar and stellar transition region and corona  
Betta R., Peres G., Reale F., Serio S. 708

